



ARRIVAL

matter



Dri Track and Ultra Track



Ultra Entry™



Precision Inlay™ with Super Nop® 52

Contents


5	Making a First Impression with Arrival
7	The CleanZone™ Entrance Strategy
9	The Arrival Product Breakdown
10	Architectural Grilles
14	Design Track
15	Mighty Track
16	Safe Track
17	Array Track
18	Ultra Track
19	MetroSteel™
20	Advanced Track
21	Dual Track
22	Dri Track
24	Foot Grilles
28	Soft Grid™
29	Ultra Entry™
30	Nuway®
31	Nuway® HD
32	Grate Mat
33	Grate Mat XT
34	Grate Grid
35	Legacy Plank
36	Bastion
38	Entrance Matting
42	Super Nop® 52
43	Berber
44	Super Nop® 52 Tile
45	Trilogy Tile
46	New York Collection
47	Portland Collection
48	Divergent™
49	Divergent™ Tile
50	Emergent Tile
52	Logo Matting
58	Graffiti
59	Precision Inlay™ with Super Nop® 52
60	Design Print
61	V-Loop 25 and 50
64	Specifications



Making a First Impression with Arrival

An entryway is the first stop for all visitors and occupants entering a building, and first impressions matter. Arrival from Matter Surfaces offers a variety of high-performance entrance and matting solutions that do not sacrifice aesthetics.

Every building has an entrance - let your guests know they've arrived.



Wellness

An effective entrance and matting system helps to improve indoor air quality and can help contribute to health and wellness goals like LEED and WELL.

Green Certifications:

- Green Label Plus
- Environmental Product Declarations (EPDs)



Simple Maintenance

A proper entrance system traps dirt and moisture to prevent damage to interior flooring surfaces and lowers maintenance requirements, saving time and money.


Many Arrival products only require vacuuming to maintain their beauty and effectiveness.



Safety

Floors are the leading cause of injury according to the National Safety Council (NSC). From lawsuits to missed work days, slips, trips and falls can be costly to organizations.

The Arrival Collection includes foot grilles and matting products that scrape and trap dirt, debris, and moisture to help prevent liabilities.




Durability

All Arrival entrance and matting products are commercially rated.

Rated for:

- Extreme traffic (1M+ guests per year)
- Heavy rolling loads
- Indoor and outdoor applications



Design, Templating, and Installation

Custom installs, shapes, and logo matting are our specialty.



The CleanZone™ Entrance Strategy


The CleanZone™ Entrance Strategy from Matter Surfaces is our patented entrance design and planning method - helping to protect against liability, to reduce maintenance costs, and to facilitate healthy indoor air quality.

The Science behind the Strategy

A 30-foot entry system of both scraping and drying products is recommended to remove 100% of moisture and debris from footwear, and many current building codes require that a minimum 10-foot entrance solution be incorporated in the design.

A 3-Zone Strategy

We divide a building into three zones from the exterior to the interior. We break the zones down and make it easy to find the right product for any application.





Advanced Track



Nuway®



Super Nop® 52

The Arrival Product Breakdown

The Arrival Collection is based on decades of experience allowing us to curate some of the most effective, design-friendly entry solutions.

Architectural Grilles

Heavy-gauge aluminum grilles offered in solid aluminum or with matting inserts

Architectural grilles enhance a property's aesthetics while providing performance characteristics - including promoting positive indoor air quality, removing moisture and debris, and withstanding high foot traffic and heavy rolling loads.

Rating: Best
CleanZone™ Coverage: Zone 1, Zone 2
Installation Method: Deep recessed

Foot Grilles

Aluminum, rubber, or vinyl foot grilles with or without matting inserts

Foot grilles offer many of the benefits of architectural grilles- including promoting positive indoor air quality, removing moisture and debris, and withstanding high foot traffic- without the need for a deep recess.

Rating: Better
CleanZone™ Coverage: Zone 1, Zone 2
Installation Method: Shallow recessed, Surface mounted

Entrance Matting

Roll good, walk-off, and logo matting available in range of patterns, thicknesses, fiber construction, backing and colorways

Entrance matting is essential in wintery or wet conditions to ensure the safety of a property's guests. Matting is the perfect complement to architectural or foot grilles, and many of our entrance matting options can be used as inserts in our grilles.

Rating: Good
CleanZone™ Coverage: Zone 2, Zone 3
Installation Method: Surface mounted



Architectural Grilles

Architectural Grilles



Architectural grilles enhance a property’s aesthetics while providing performance characteristics - including helping to improve indoor air quality, removing moisture and debris, and withstanding high foot traffic and heavy rolling loads.

Product Highlights:


- Heavy-gauge aluminum or steel
- Matting inserts available for additional scraping and moisture collection
- Drop-through construction

Architectural Grille Offering:

- Design Track
- Mighty Track
- Safe Track
- Array Track
- Ultra Track
- MetroSteel™
- Advanced Track
- Dual Track
- Dri Track




Access Revit Files



Deep recessed solid aluminum grille



Explore this product on
mattersurfaces.com



Deep recessed solid aluminum grille



Explore this product on
mattersurfaces.com



Safe Track


Zones 1 + 2



Deep recessed solid aluminum grille



Explore this product on
mattersurfaces.com



Array Track

Zone 2



Deep recessed solid aluminum grille



Explore this product on
mattersurfaces.com






Deep recessed solid aluminum grille




Explore this product on
mattersurfaces.com



Contemporary linear design, weather-resistant stainless steel



Explore this product on
mattersurfaces.com







Deep recessed system with aluminum scraper bars and matting inserts



Explore this product on mattersurfaces.com




Deep recessed system with matting inserts



Explore this product on mattersurfaces.com





Deep recessed system with matting inserts



Explore this product on
mattersurfaces.com



Array Track



MetroSteel™



Design Track



Foot Grilles

Foot Grilles



Foot grilles offer many of the benefits of architectural grilles - including promoting positive indoor air quality, removing moisture and debris, and withstanding high foot traffic - without the need for a deep recess.

Product Highlights:


- Available in aluminum or vinyl base with matting insert options for debris removal and moisture absorption
- Solid fibered plank foot grille solutions for easy installation
- Ideal for retrofits

Foot Grilles Offering:

- Soft Grid™
- Ultra Entry™
- Nuway®
- Nuway® HD
- Grate Mat
- Grate Mat XT
- Grate Grid
- Legacy Plank
- Bastion




Access Revit Files



Surface-mounted or shallow-recessed vinyl foot grille



Explore this product on mattersurfaces.com



Surface-mounted or shallow-recessed vinyl foot grille with matting inserts



Explore this product on mattersurfaces.com





Shallow-recessed system with aluminum and matting scraper bars



Explore this product on
mattersurfaces.com



Shallow-recessed system with aluminum and extended matting scraper bars



Explore this product on
mattersurfaces.com



Grate Mat

Zone 2



Mat with aluminum and carpet, vinyl, or brush inserts



Explore this product on mattersurfaces.com



Grate Mat XT

Zone 2



Mat with aluminum and carpet, vinyl, or brush inserts



Explore this product on mattersurfaces.com



Shown with carpet inserts



Deep recessed system with carpet, vinyl, or brush inserts



Explore this product on mattersurfaces.com



Plank format fibered foot grille



Explore this product on mattersurfaces.com






Heavy-duty foot grille designed for high-density foot traffic



Explore this product on
mattersurfaces.com





Entrance Matting

Trilogy Tile

Entrance Matting



Super Nop® 52 Tile

Entrance matting is essential in wintery or wet conditions to ensure the safety of a property’s guests. Matting is the perfect complement to architectural or foot grilles, and many of our entrance matting options can be used as inserts in our grilles.

Product Highlights:

- Range of patterns, thicknesses, and colorways
- Rubber- and vinyl-backed solutions
- Available in wall-to-wall, walk-off mats, or logo matting options

Entrance Matting Offering:


- Super Nop® 52
- Berber
- Super Nop® 52 Tile
- Trilogy Tile
- New York Collection
- Portland Collection
- Divergent™
- Divergent™ Tile
- Emergent Tile



High-performance nop matting



Explore this product on
mattersurfaces.com



Top-rated runner matting available with rubber or vinyl backing



Explore this product on
mattersurfaces.com



Super Nop® 52 Tile


Zones 2 + 3



Durable and effective nop-textured matting tile



Explore this product on
mattersurfaces.com



Trilogy Tile


Zones 2 + 3



Superior matting tile with contemporary carpet design



Explore this product on
mattersurfaces.com





Aggressive matting with lavish carpet-like appearance




Explore this product on mattersurfaces.com



Superior drying matting with a lavish carpet-like appearance



Explore this product on mattersurfaces.com






Helps maintain clean, safe floors while minimizing slip hazards




Explore this product on
mattersurfaces.com



Durable and resilient tiles, specifically designed for commercial applications



Explore this product on
mattersurfaces.com



Emergent Tile

Zones 2 + 3



Featuring aggressive scraping fibers paired with a plush velour pile



Explore this product on
mattersurfaces.com



Logo Matting

Precision Inlay™ with Super Nop® 52



Logo Matting



Precision Inlay™ with Super Nop® 52

Logo Matting enhances properties with personalized branding while promoting safety and wellness. Available from small mats to wall-to-wall options, we offer high-quality, waterjet-cut and digitally printed indoor logo matting solutions.

Product Highlights:

- Logo is created by cutting and assembling colored mat materials into the design
- Excellent for heavy traffic; design is part of the mat, so it won't fade, peel, or wear away.
- Ideal for high-traffic entrances, commercial buildings, and outdoor use.

Entrance Matting Offering:

Graffiti

Precision Inlay™ with Super Nop® 52

Design Print

V-Loop 25 and 50



Precision Inlay™ with Super Nop® 52



V-Loop 25 and 50



Precision Inlay™ with Super Nop® 52



Precision Inlay™ with Super Nop® 52



Design Print




Plush logo matting with a carpet-like feel



Explore this product on
mattersurfaces.com



High-performance matting for logos and wall-to-wall applications



Explore this product on
mattersurfaces.com





Print technology injects dyes deeply and permanently into the pile to produce colorful logos




Explore this product on mattersurfaces.com



Durable scraper solution designed for heavy traffic environments



Explore this product on mattersurfaces.com





Precision Inlay™ with Super Nop® 52



Precision Inlay™ with Super Nop® 52



Graffiti



Precision Inlay™ with Super Nop® 52








Graffiti



Specifications


Super Nop® 52 Tile

Specifications


	Design Track  Page 14	Mighty Track  Page 15	Safe Track  Page 16	Array Track  Page 17	Ultra Track  Page 18
Features	–Exclusive cross-bolt technology outlasts welded key-lock construction –Drop-through construction provides maintenance-free surface that looks brand new for years –Anti-slip surface –Frames come pre-assembled –Custom shapes available (Ultra Track is recommended for radius cuts and revolving doors) –Drain Pan option available				
Material	Heavy gauge 6061-T6 aluminum with 20% post consumer and 60% pre-consumer recycled content. 80% recycled content & 100% recyclable at end of life.				
Size	Custom made to your requirements. Consult our Product Specialists for assistance. Maximum Panel Size: 48” (front to back) x 42” (left to right). Multiple panels are used to construct the foot grille system.				
Maximum Rolling Load (pounds per wheel)					
2’ Span	2,796	2,040	2,032	3,312	3,828
2’ 8” Span	1,900	1,400	1,394	2,276	2,652
3’ 6” Span	1,372	1,024	827	1,656	1,936
Warranty	10 Years				

Depth	VV or AD Frame (New Construction)	TT Overlap Frame (Retrofits)
Grille Only	1”	1”
Grille & Frame (Level Base)	1-1/8”	1”
Grille & Frame (Drain Pan)	2-1/8”	2”

	MetroSteel™  Page 19
Features	–Contemporary linear design –Weather resistant stainless steel –Maintenance-free surface –Custom shapes available
Material	Type 304 stainless steel wire resistance welded to Type 304 stainless steel support rods, containing 84% total recycled content and 61.5% post consumer recycled content.
Size	Custom made to your requirements. Consult our Product Specialists for assistance.
Thickness	5/8”, 1-1/8”
Weight	5/8”: 80 oz/sq ft 1-1/8”: 88 oz/sq ft

	Advanced Track  Page 20	Dual Track  Page 21	Dri Track  Page 22
Features	–Exclusive cross-bolt technology outlasts welded key-lock construction –Alternating rows of aluminum and fiber provide scraping and drying –Drop-through construction provides maintenance-free surface that looks brand new for years –Anti-slip surface		–Frames come pre-assembled –Custom shapes available (Advanced Track and Dri Track can be radius cut) –Drain Pan option available –Select insert colors from the New York Collection on page 46
Material	Heavy gauge 6061-T6 aluminum and aluminum alloy 6063-T5 scraping rails with 58.62% pre-consumer and 15.5% post-consumer recycled content, and 100% nylon standard New York Collection inserts	Heavy gauge 6061-T6 aluminum with 43.97% pre-consumer and 14.12% post-consumer recycled content, vinyl scraping rails and 100% nylon standard New York Collection inserts	Heavy gauge 6061-T6 aluminum with 51.84% pre-consumer and 14.86% post-consumer recycled content, and 100% nylon standard New York Collection inserts
Size	Custom made to your requirements. Consult our Product Specialists for assistance. Maximum Panel Size: 48” (front to back) x 42” (left to right). Multiple panels are used to construct the foot grille system.		
Maximum Rolling Load (pounds per wheel)	2’ Span = 3,831 2’ 8” Span = 2,653 3’ 6” Span = 1,583		2’ Span = 1,608 2’ 8” Span = 1,248 3’ 6” Span = 1,004
Warranty	10 Years		

Depth	VV or AD Frame (New Construction)	TT Overlap Frame (Retrofits)
Grille Only	1-1/2”	1-1/2”
Grille & Frame (Level Base)	1-5/8”	1-1/2”
Grille & Frame (Drain Pan)	2-1/2”	2-1/2”


	Grate Grid  Page 34
Features	–Durable “I”-beam construction secured with key-lock bars –Insert options include carpet, vinyl, brush, vinyl abrasive, and serrated aluminum; visit our website or consult our Product Specialists for assistance
Material	6063-T52 aluminum with 46% pre-consumer recycled content and various insert options
Size	Custom made to your requirements. Consult our Product Specialists for assistance

Depth	
Grille Only	1-3/4”
Grille & Frame	2”

Specifications

	Legacy Plank  Page 35
Features	–The plank-style matting system can be used to construct an entrance of any size –Create a uniform look with a single color or work with both colors to construct interesting patterns –Less waste than roll matting, depending on the size
Material	Polypropylene base with premium polyamide nylon fibers (6.6)
Size	9.25” x 29.53”
Weight	168 oz/sq yd
Thickness	± 1/2”
Recommended Installation	Clip system with doublefaced tape, glue-down for heavy and wheeled traffic


Legacy Plank



Anthracite

Clip System



	Grate Mat  Page 32	Grate Mat XT  Page 33
Features	–Grate Mat “rolls up” for easy handling and maintenance –Polypropylene brush insert offers highest performance and durability –Insert options include carpet, vinyl, brush, vinyl abrasive, and serrated aluminum	–The rugged benefits of a foot grille with the easy maintenance of a roll up mat –Polypropylene brush insert offers highest performance and durability –Thermoplastic hinge is weather-resistant and stays flexible–won’t crack or break like PVC-based materials –Insert options include carpet, vinyl, brush, vinyl abrasive and serrated aluminum
Material	6063-T52 aluminum with 49% pre-consumer recycled content and various insert options	Corrosion-resistant 6063-T52 aluminum with 38.3-45.8% pre-consumer recycled content and various insert options fusion bonded to the backing for durability
Size	Custom made to your requirements. Consult our Product Specialists for assistance.	
Depth	Grille Only: 3/8” Grille & Ramp with Frame: 3/8” Grille & Deep Frame: 7/16”	Grille Only: 11/16” Grille & Recessed Frame: 3/4”

	Nuway®  Page 30	Nuway® HD  Page 31	Ultra Entry™  Page 29	Soft Grid™  Page 28
Features	–Alternating strips for scraping and drying –Reversible design doubles life span –Anti-slip surface –Withstands heavy foot traffic and wheeled loads	–Heavy duty, closed construction foot grille for high traffic with high point loads –Alternating strips of aluminum and two buffed or unbuffed rubber wiper strips –Reversible design doubles life span –Anti-slip surface	–Alternating strips for scraping and drying –Easily cut on site to any angle, arc or shape –Anti-slip surface –Withstands rolling loads to 1,200 pounds per wheel	–Easily cut on site to any angle, arc or shape –Conforms to uneven sub-floors –Anti-slip surface –Withstands rolling loads to 1,200 pounds per wheel
Material	Aluminum scraper bars and buffed or unbuffed rubber wiper strips	Aluminum scraper bars and buffed or unbuffed rubber wiper strips	100% Nylon Standard Designer inserts with vinyl base	Vinyl grid, recycled content varies by base color
Size	Custom made to your requirements. Consult our Product Specialists for assistance.	Custom made to your requirements. Consult our Product Specialists for assistance.	36” x 40’, 48” x 40’ Custom sizes available in 36” and 48” widths x lengths up to 40’	36” x 30’, 48” x 30’ Custom sizes available in 36” and 48” widths x lengths up to 30’
Maximum Rolling Load (pounds per wheel)	-----	-----	1,200 pounds per wheel	1,200 per pounds wheel
Style	Standard - 12mm, closed construction, Charcoal wiper strips, aluminum scraper bars Plainguard - unbuffed rubber wiper strips with aluminum scraper bars (zones 1 and 2) Design - choice of colored buffed rubber wiper strips with aluminum scraper bars	Standard - 12mm, closed construction, Charcoal wiper strips, aluminum scraper bars Plainguard - unbuffed rubber wiper strips with aluminum scraper bars (zones 1 and 2) Design - choice of colored buffed rubber wiper strips with aluminum scraper bars	Shallow recessed or surface mount system with drop-through design, choice of gray, black or brown base grid and colored nylon inserts	Shallow recessed or surface mount system with drop-through design and choice of gray or black base
Warranty	10 Years	10 Years	4 Years pro-rated	


Depth	Ramp Frame	Shallow Recess Frame
Grille Only	7/16”	5/8”

Depth	Surface Ramp Frame	Recessed R or J Frame
Grille Only	3/8”	3/8”
Grille & Frame	3/8”	R: 7/16” J: 5/8”

Can be used with Schlüter™ frame option


Specifications

Nuway® Wiper Strips




Unbuffed Gray Charcoal Aluminum Scraper Bar

Soft Grid™



Gray

Ultra Entry™ Panel Colors



Gray Black Brown

Standard Color

–Select insert colors from the New York Collection on [page 46](#)

	Bastion Page 36
Features	–Heel safe entrance mat provides remarkable dirt and moisture removal and elegant appearance together with its interlocking tiles and high performance carpet inserts. It is ideal in areas where visual attractiveness is expected.Weather resistant stainless steel –Heavy duty entrance mat is specially designed for entranceways with high density foot traffic, such as airports, subway stations, shops, shopping centres, hotels, offices, hospitals and schools. It performs best when used indoors or in weather protected areas. –Open grid design allows fluid and small debris to pass through the openings keeping the surface dry and clean. The tile’s textile surface scrapes shoes clean and provides a safe, slip resistant walking surface.
Material	UV - Resistant Vinyl/NBR
Size	14.5” x 8”
Thickness	11 mm (0.42”)
Weight	1.52 lbs./sqft

	Berber VB Page 43	Berber RB Page 43
Features	–Super-durable fibers provide outstanding walk-off performance –Hobnail design provides aggressive soil removal –Heavy-duty SureTac™ vinyl back won’t crack and ensures flat, durable edges –Common Uses—loose lay in high, multi-directional traffic entrances, vestibules, lobbies, hallways, elevators	–Outstanding walk-off performance for multi-directional traffic applications –Easily maintained by vacuuming and periodic extraction –Stain resistant, color fast, and permanently anti-static –Green Label Plus™ Certified –Common Uses—entryways, vestibules
Material	100% Solution-Dyed UV Stabilized Fibers (80% Polypropylene; 20% Polyester)	100% Solution-Dyed UV Stabilized Fibers (80% Polypropylene; 20% Polyester)
Backing	Premium Vinyl Backing	High Density Rubber
Roll Sizes	3’ x 60’ (Charcoal) 4’ x 60’, 6’ x 60’	6’ 7” x 82’ 13’ 2” x 82’
Custom Sizes	3’, 4’ and 6’ widths x lengths to 60’ Roll width includes 1” vinyl edge on each roll side and includes nosing on ends	6’ 7” x custom lengths up to 82’ 13’ 2” x custom lengths up to 82’
Thickness	3/8”	3/8”
Weight	37 oz/sq yd	64 oz/sq yd

Berber



Specifications

	New York Collection Page 46	Portland Collection Page 47
Features	–Coarse, bristle-like fibers effectively brush shoes clean and capture dirt in the mat –SureTac™ vinyl backing will not crack –Rich, vibrant color selection –Can be loose laid as a mat –Common Uses–indoor settings, entrances, foyers, vestibules, lobbies	–A selection of rolled matting that is made from 100% Econyl® regenerated nylon fibers with a premium vinyl backing –Can be loose laid as a mat –Fibers effectively brush soles clean and capture dirt that will otherwise enter facility
Material	100% premium polyamide nylon fibers (6.6)	Tufted 100% Econyl® Nylon
Backing	Premium Vinyl Backing	Premium Vinyl Backing
Roll Sizes	6’ 7” x 82’	4’ 3” x 6’ 7”
Custom Sizes	6’ 7” width x lengths up to 82’ Roll width includes 1” vinyl edge on each roll side May be trimmed off for glue down applications Specify if nosing is required on ends	4’ 2” and 6’ 7” width x lengths up to 82’
Thickness	3/8”	7.0 mm (0.28”)
Weight	99 oz/sq yd	99 oz/sq yd²

New York Collection




Light Gray



Dark Gray




Foggy Dusk



Cedar Bark




Charcoal



Charcoal Splash



Spring Heather



Charcoal Granite



Brown



Brown Sugar



Riverbend



Black Sand

	Design Print Page 60
Features	–Print technology injects dyes deeply and permanently into the pile to produce colorful logos –Great for large quantities of indoor mats –Slip-resistant nitrile rubber backing reduces slip and falls without compromising aesthetics –130 colors allow for unlimited customization and color combinations
Material	100% heat set nylon
Backing	Slip-resistant nitrile rubber
Roll Sizes	2 x 3, 3 x 4, 3 x 5, 3 x 10, 4 x 6, 4 x 8, 5 x 6, 5 x 8
Custom Sizes	N/A
Thickness	3/8”
Weight	20.0 ± 1.0 oz/sq yd²

Design Print



100



101



102




103




104



105




106




107



108



109



110



111




112




114




115



116



117




118




119



120



121



123



126




127



128



130



140



306



308




311



335



340



363




366




369




381



382




383



384



385



386



387



388




389



390



391



392



393




394



395



396



397



398



399



400



401



402



403



404



405



406



407




408



409



411



412



413



414




415




416



417



418



419




420



421



422




423




426



427



428




429



430




431



432



433



434



435



436




437



439




440



442



443




444



445




446



447



448



449



450



451



452



453



454




455




457




458



459



460



463



464



465



466



467



468




469



470




471



472



473




474



475



476



477



478



479




480



481



482




483


Specifications

	V-Loop 25 and 50 Page 61
Features	–A durable scraper solution designed for heavy traffic environments, effectively removing and concealing dirt and moisture before it enters the building –Its resilient vinyl loop construction scrapes debris while trapping it beneath the surface, helping maintain cleaner, drier, and safer interior floors
Material	Nonwoven air entangled vinyl filament
Backing	Vinyl backed or unbacked options (Only backed available for sampling)
Roll Sizes	4’ x 60’ 3’ x 60’ (Black, Gray, and Brown only)
Custom Sizes	N/A
Thickness	11.0 mm
Weight	30 oz/sq yd ²


V-Loop 25 and 50




Amber



Amethyst



Aquamarine




Black




Brown



Bubble Gum



Citrine




Clover




Coal




Demin




Emerald




Garnet



Gray




Latte




Light Gray



Pearl



Ruby



Sapphire



Statue

	Graffiti Page 58
Features	–Precise reproduction of a logo or image is a superior quality plush product –Create with any image, shape or size –Combine bright colors and traditional neutrals to create stylish mats for entrances and other interior spaces –Loose lay mats only –Common Uses–lobbies, reception areas, commercial settings, hotels, hospitals
Material	100% polypropylene fibers
Height	3/8”
Total Weight	56 oz/sq yd
Pile Weight	28 oz/sq yd
Roll Size	6’7” x 68’
Backing	High Density Rubber

Graffiti




Chalk



Taxicab



Neon



Festival




Brick




Cobblestone



Brownstone



Boardwalk




Harbor



Playground



Greenway



Concrete




Statue



Subway



Asphalt



Flatiron





Skyline

Specifications

	Super Nop® 52 Page 42	Precision Inlay™ with Super Nop® 52 Page 59
Features	–Unbeatable resistance to wear, UV and staining (bleach, salt, permanent ink, coffee, red juice, betadine and more) –52 oz. heavy weight pile and large nop design provides outstanding scrubbing action –Needlepunch construction provides optimal crush resistance –Edges will not unravel or fray –Common Uses—corridors, entryways, vestibules, lobbies, sports facilities	–Computer technology scans your logo or image, then cuts exact inlays to reproduce crisp, bold and colorful designs –Withstands high foot traffic –Inlay process accurately reproduces fonts and images –Common Uses—retail stores, malls, commercial settings, hotels, hospitals
Material	100% Solution-Dyed UV Stabilized Fibers (100% Polypropylene)	
Backing	High Density Rubber	
Roll Sizes	6’ 7” x 101’ 8” 13’ 2” x 101’ 8”	For custom sizes/artwork requirements, contact sales support at 1-800-628-7462
Total Weight	93 oz/sq yd	
Pile Weight	52 oz/sq yd	
Thickness	7/16” (+15% / -10%)	

Super Nop® 52



Sterling

Dark Gray



Carbon

Charcoal

Steel Blue

Sapphire

Azure



Midnight Blue

Verdi


Hunter Green

Forest

Sand

Natural

Beige



Taupe

Zinc



Tweed Brown

Choco

Brown

Walnut

Black Walnut





Crimson

Burgundy

Rosewood

Garnet

Super Nop® 52 Bright



White




Yellow

Gold

Orange

Pink

Bright Red



Kelly Green

Sky Blue

Royal Blue

Purple

Black

Turquoise

	Super Nop® 52 Tile Page 44	Trilogy Tile Page 45
Features	–Produced with 100% solution dyed polypropylene fibers for unbeatable resistance to wear, UV and staining (bleach, salt, permanent ink, coffee, red juice, betadine and more) –52 oz. heavy weight pile and large nop design provides outstanding scrubbing action –Can quarter-turn tiles to create parquet pattern –Needlepunch construction provides optimal crush resistance –Edges will not unravel or fray –Common Uses—high traffic entrances, vestibules, lobbies, airports, retail	–Aggressive scraping cleans footwear to reduce the risk of slips and falls –Durable product ideal for commercial applications –High-end carpet-like appearance creates great first impression –Can be installed brick, monolithic, or quarter-turn to create interesting patterns –Meets indoor air quality testing protocols –Class 1 fire rating –Common Uses—corporate, educational, retail, hospitality environments
Material	100% Solution-Dyed UV Stabilized Fibers (100% Polypropylene)	Nylon fiber (6) textured tufted loop 56.8% pre-consumer recycled content.
Backing	Bitumen	67% pre-consumer recycled content.
Tile Size	19-11/16” x 19-11/16”	19-11/16” x 19-11/16”
Case Pack	12 tiles/case (32.4 sq ft)—full cases only	20 tiles/case (53.8 sq ft)—full cases only
Weight	141 oz/sq yd	139 oz/sq yd
Thickness	1/2” (+15% / -10%)	9/32”


Super Nop® 52 Tile



Sterling

Charcoal



Steel Blue



Midnight Blue

Beige

Taupe



Zinc

Tweed Brown

Walnut




Black Walnut

Trilogy Tile



Cremeni

Abalone



Indigo

Portobello



Oyster

Specifications

	Divergent™ Page 48	Divergent™ Tile Page 49
Features	–Absorbs and traps dirt and moisture from footwear at the entrance –Optimized to withstand heavy rolling loads without deformation or compression –Backing is impermeable to moisture to protect the underlying flooring – Class 1 fire rating	–Absorbs and traps dirt and moisture from footwear at the entrance –Optimized to withstand heavy rolling loads without deformation or compression –Durable product ideal for commercial applications – Class 1 fire rating
Material	100% Econyl® Regenerated Polyamide 6 Nylon	100% Econyl® regenerated polyamide 6 nylon
Backing	Pura Backing™	100% post-consumer recycled PET primary backing and Bitumen secondary backing with 10% post-industrial recycled content
Roll/Tile Size	Roll Size 6’ 7” x 65’ 7”	Tile Size 19-11/16” x 19-11/16”
Case Pack	N/A	12 tiles/case (32.3 sq ft) - full cases only
Weight	87 oz/sq yd	116.5 oz/sq yd
Thickness	5/16”	5/16”

Divergent™



Divergent™ Tile



	Emergent Tile Page 50
Features	–Aggressive scraping fibers combined with a velour pile cleans footwear to reduce the risks of slips and falls –High-end cut pile appearance creates great first impression and easy to use vacuum surface –Class 1 fire rating
Material	100% Econyl® regenerated polyamide 6 nylon
Height	3/8”
Total Weight	118 oz/sq yd
Pile Weight	26.5 oz / yd?
Dimensions	50 cm x 50 cm
Backing	Bitumen

Emergent Tile

